

IN THE CLAIMS

1-57. (cancelled)

58. (currently amended) A kit, comprising:

a receptacle ~~comprising~~ having a body ~~containing~~ a cosmetic; and

a neck providing an opening into said body, said neck including:

a first portion having a first inside diameter and ~~having~~ a first fixing means; and

a second portion located between said body ~~of~~ said receptacle and said first portion, said second portion having a ~~second inside diameter and a~~ second fixing means, ~~wherein said~~ and a second inside diameter ~~is~~ greater than said first inside diameter; and

a shoulder between said first portion and said second portion; and

~~at least one~~ an accessory configured for removably ~~fixing onto~~ removable connection to said neck, ~~of said receptacle wherein said neck includes a shoulder connecting said first portion to said second portion and said accessory includes~~ including:

an assembly skirt that cooperates with said second portion of said neck; ~~said assembly skirt including~~

a sealing surface having an annular bead that abuts said shoulder when said accessory is ~~fixed~~ connected to said neck; and

a row of teeth extending from a first tooth to a last tooth, a distance between said first and said last teeth being greater than a diameter of said first portion of said neck.

59-62. (cancelled)

63. (currently amended) The kit according to claim 58, wherein said receptacle is adapted to hold contents, and said

accessory includes an applicator adapted for use with the contents.

64. (cancelled)

65. (currently amended) The kit according to claim ~~64~~63, wherein at least one of said teeth includes ~~at least one~~ a dispenser orifice adapted to dispense the contents from said receptacle.

66. (currently amended) The kit according to claim 65, wherein said ~~at least one dispenser orifice of said at least one~~ dispenser orifice is ~~displaced~~ spaced from a free end of said at least one of said teeth.

67. (currently amended) The kit according to claim 66, wherein said ~~at least one dispenser orifice~~ substantially limits ~~a cosmetic to be dispensed from~~ dispensing of the contents from other than between said teeth.

68. (currently amended) The kit according to claim 63, wherein ~~said applicator includes at least one row of teeth including a pair of end teeth located at the respective ends of said at least one row of teeth, said pair of end teeth havingsaid first and last teeth include~~ dispenser orifices which face ~~others of teeth in~~ said at least one row of teeth.

69. (currently amended) The kit according to claim 63, wherein ~~said applicator includes at least one row of teeth including a pair of end teeth located at the respective ends of said at least one row of teeth, said end teethsaid first and last teeth have neare~~ devoid of dispenser orifices.

70. (currently amended) The kit according to claim 68, wherein ~~at the exterior of at least one tooth of said row of teeth located between said pair of end~~ first and last teeth includes a plurality of said dispenser orifices, each of said plurality of dispenser orifices being positioned so as to oppose another one of said teeth on the exterior of said at least one

~~tooth such that said plurality of dispenser orifices are parallel to said at least one row of teeth.~~

71. (previously presented) The kit according to claim 70, wherein said plurality of dispenser orifices are located on opposite sides of said at least one tooth.

72. (currently amended) The kit according to claim 70, wherein ~~all~~ each of said teeth ~~located between said first tooth and said last tooth pair of end teeth includes~~ at least one dispenser orifice.

73. (currently amended) The kit according to claim ~~65~~58, wherein said at least one of said teeth includes a groove extending from a free end of said at least one of said teeth to ~~said at least one dispenser orifice.~~

74. (currently amended) The kit according to claim ~~64~~63, wherein said applicator includes at least six teeth, each of said teeth including at least one dispenser orifice.

75. (currently amended) The kit according to claim ~~64~~58, wherein said teeth in said row are of substantially the same length.

76. (previously presented) The kit according to claim 63, wherein said applicator is made by molding.

77. (currently amended) The kit according to claim 58, wherein at least one of said first fixing means ~~and or~~ or said second fixing means includes a thread, ~~said kit having at least one accessory being adapted for screwing onto said thread.~~

78. (currently amended) The kit according to claim 58, wherein at least one of said first fixing means or said second fixing means ~~comprises at least one~~ includes a first snap-fastening member, ~~said kit including at least one accessory arranged with at least one having a complementary snap-fastening member suitable for cooperating~~ adapted for connection with ~~at least one said first snap-fastening member.~~

79. (currently amended) The kit according to claim 58, ~~including~~ further comprising at least two accessories, a first one of said accessories being of a ~~of~~ different kind kind than a second one of said accessories.

80. (currently amended) The kit according to claim 79, wherein said first ~~of said two accessories~~ accessory is adapted for cooperating with said first portion of said neck and said second ~~of said two accessories~~ accessory is adapted for cooperating with said second portion of said neck.

81. (currently amended) The kit according to claim 79, wherein said receptacle is adapted to hold contents, said the first of said two accessories accessory includes a cap and said second ~~of said two accessories~~ accessory includes ~~comprises~~ an applicator adapted for use with the contents.

82. (currently amended) The kit according to claim 79, wherein at least one of said ~~at least two accessories~~ is adapted to ~~cooperates~~ cooperate with said first portion of said neck.

83. (previously presented) The kit according to claim 82, wherein said at least one accessory is selected from the group consisting of a cap, an endpiece, an applicator, and a receptacle.

84. (cancelled)

85. (currently amended) The kit according to claim 58, ~~wherein said cosmetic comprises~~ further comprising a substance for coloring the hair disposed in said receptacle.

86. (currently amended) An applicator, comprising:
fixing means for removably ~~affixing~~ connecting the applicator to a neck of a receptacle, said fixing means including a screw portion adapted to screw fasten the applicator to the neck of the receptacle; said applicator including
an assembly skirt having a free end; and ~~including~~
an annular bead ~~displaced~~ spaced from said free end of said ~~applicator~~ assembly skirt and positioned on an inside

surface of said assembly skirt, wherein ~~the~~ said fixing means ~~are situated~~ is positioned between ~~the~~ said free end of said assembly skirt and ~~the~~ said annular bead.

87-96. (cancelled)

97. (currently amended) The applicator according to claim ~~87~~86, wherein ~~the~~ said annular bead is a sealing bead.

98. (currently amended) The kit according to claim 58, wherein said shoulder ~~comprises~~ includes a planare annular surface extending outwardly from said first portion ~~outside said neck~~, said shoulder being perpendicular to said neck.

99. (currently amended) The kit according to claim 58, wherein both said first fixing means and said second fixing means include threads.

100. (currently amended) The kit according to claim ~~58~~78, wherein said complementary snap-fastening member includes an annular bead.

101. (previously presented) The kit according to claim 58, wherein said receptacle comprises a plastic material.

102. (currently amended) The kit according to claim 58, wherein said accessory is configured for ~~removably~~ removable ~~fixing onto~~ connection to said neck of said receptacle by fastening only on ~~the~~ said second fixing means.

103. (currently amended) The kit according to claim ~~100~~99, further comprising a closure, wherein said threads enable said closure to be connected to said first portion of said neck in a first direction, and said accessory to be connected to said second portion of said neck in said first direction ~~screw fastening by turning in a same direction~~.